


A publication entitled "School Safety Busing and Instructions for Submitting Findings" is available from the Illinois Department of Transportation, 2300 South Dirksen Parkway, Springfield, Illinois 62764. The school administrator preparing this submittal should refer to the instructions in the booklet.

Two copies of this form are to be submitted to the IDOT District Office indicated in the instruction booklet. The IDOT District Office will approve or disapprove the submittal within thirty (30) days and return one copy to the school district indicating the action taken.

Name of School District North Boone CUSD				Address of Admini 6548 North Boone				
District #	County	City	Zip Code 61065-					
200	Boone	Poplar Grove	6548					
Name of Co Stacey Core	ntact Represent der		Title Executive Dir.	of Business	Phone Number (815) 716-9437			
		hildren Are Wal		-	ımber (Use on Map and	Attachments)		
	Middle Schoo		2	00-22-01				
Type of Condition	1. 🛭 Sing	le Hazard	Type	11				
		bination Hazard	Type		and Type			
Location	3. Along _	Poplar Grove I	Rd					
(Attach a ma	ap 4. Type I	From		(Street or Road Nar	ne)			
showing th	e	N.L.C	School Spee	d Zone To	> 350'			
described location(s).	1				> 330			
	6. Type III							
	7. Type IV	At						
Points		alking Along a R				5 Deinte		
(Complete o	alv Č	8. Highest qualifying grade level (through 8 grade) 5 Points						
for types list on lines 1 or	ed 9. Location 2.)	9. Location of walkway (on shoulder 350' feet from roadway) OR (behind curb or ditch feet from roadway)  Table 2						
	10. Speed	of traffic ( <u>5</u>	5 mph)			4 Points		
	11. Volume	11. Volume of traffic ( 200 vehicles/hour) ( 2 lanes)						
	12. Length	12. Length of hazardous section (2 miles)						
	13. Board's judgment points (attach explanation)							
-	14. Total of lines 8 through 13 Points							
		alking on a Roa	-			Points		
				grade)		Table 6		
	(No sh	n for walking on r oulder or walkwa v bridge or under	ay off pavement	t for feet feet)	, OR	Table 7		
	17. Speed	of traffic (	mph)			Table 8		
	18. Volume	of traffic (	v	ehicles/hour) (	lanes)	Table 9		
	19. Length	of hazardous se	ction (	miles)		Table 10		
	20. Board's judgment points (attach explanation)					Points		
	21. Total of	f lines 15 through	1 20			Points		

BSPE 1945 (Rev. 11/17/16) Formerly OPER 1945

Points	Type III - Crossing a Roadway (Name of roadway being crossed)						
(Continued)	22. Highest qualifying grade level (through grade) Poin						
	23. Control on roadway being crossed (	its					
	24. Speed and volume of traffic ( mph) ( vehicles/hour) Poir	ıts					
	25. Width of roadway ( feet) Poir	ıts					
	26. Board's judgment points (attach explanation) Poir						
	27. Total of lines 22 through 26	ıts					
	Type IV – Crossing Railroad Tracks						
	28. Highest qualifying grade level (through grade)Poir	ıts					
	29. Crossing protection and number of tracks:  [ protection; tracks used] Poir	its					
	30. Speed and number of trains:  ( mph; trains)  Poir	ıts					
	31. Board's judgment points (attach explanation) Poir	nts					
	32. Total of lines 28 through 31Poir	ıts					
Finding	33. X Single hazard qualifies since 15 points in a Type II situation equals or exceeds 12	<u>.</u>					
•	34. Combination hazard qualifies since the total of points in a Type						
	situation and points in a Type situation equals or exceeds 20.  35. Hazard is temporary for school year (resubmit annually).						
	36. No hazard						
Certification	I hereby certify that the date in this application, including accompanying maps and statements, are tr	ue.					
	and correct to the best of my knowledge and belief. Board approval was given on date of						
	Date Signature of Secretary or President of Board Education or Board of Directors	of					
Action by Illino	ois Department of Transportation						
Date Su	bmittal Received May 8 20 24 Serial No. 2-24-790	_					
🗵 Аррі	roved						
☐ Disa	approved for corrections, additions, or clarifications noted in transmittal letter.						
☐ Disa	approved for reason or reasons noted in transmittal letter.						
	5/13/24 Justra Shorts						
	Date Signature of IDOT Regional Engineer						
Reimbursemer	nt Estimate (This information will have no effect on IDOT's action on the submittal.)						
<ol> <li>Approximately how many students will annually be qualified for busing by this submittal that did not previously qualify for reimbursable busing?students</li> </ol>							
2. What is the projected additional annual reimbursement that will result from this submittal? \$							



m . [




A publication entitled "School Safety Busing and Instructions for Submitting Findings" is available from the Illinois Department of Transportation, 2300 South Dirksen Parkway, Springfield, Illinois 62764. The school administrator preparing this submittal should refer to the instructions in the booklet.

Two copies of this form are to be submitted to the IDOT District Office indicated in the instruction booklet. The IDOT District Office will approve or disapprove the submittal within thirty (30) days and return one copy to the school district indicating the action taken.

Name of School District North Boone CUSD				Address of Admin				
District #	County City Zip Code							
200	Boone	Poplar Grove	61065- 6548					
	ntact Represent	ative	Title	of Business	Phone Number			
Stacey Cord	der hool to Which Cl	hildren Are Wa		of Business	(815) 716-9437 Imber (Use on Map and A	Attachments)		
	Middle School			00-24-02		•		
Type of Condition	1. 🛭 Single	e Hazard	Туре	ll				
		oination Hazard	Туре		and Type			
Location	3. Alona P	oplar Grove I	Rd					
				(Street or Road Na				
(Attach a ma	e							
described	<ol><li>Type II</li></ol>	From S of S	School Speed	I Zone To	.2 mi S of Sign			
location(s)	6. Type III	At						
	7. Type IV	At						
Points	Type I – Wa	lking Along a	Roadway					
<b>'</b> 0	8. Highest of	qualifying grade	level (through_	grade)		5 Points		
(Complete or for types list on lines 1 or	ted 9. Location	9. Location of walkway (on shoulder <u>&gt;350</u> feet from roadway) <b>OR</b>						
	10. Speed of	of traffic (55	mph)			4 Points		
	11. Volume	of traffic (	200vel	hicles/hour) (2	lanes)	1 Points		
	12. Length	of hazardous se	ection (2_	miles)		Points		
			s (attach explan			Points		
	14. Total of	lines 8 through	13			<u>15</u> Points		
	Type II – W	alking on a Ro	adway					
	15. Highest qualifying grade level (through grade) Points							
	16. Reason for walking on roadway:  (No shoulder or walkway off pavement for feet, <b>OR</b> Narrow bridge or underpass for feet)							
	17. Speed of traffic ( mph) Poi							
	18. Volume	of traffic (	V	ehicles/hour) (	lanes)	Table 9		
	19. Length of hazardous section ( miles)Poin							
	20. Board's judgment points (attach explanation)							
	21. Total of lines 15 through 20Points							

Points  Table 11 Points Table 12						
hicles/hour) Table 13 Points						
Table 14 Points						
Points						
Points						
F_ U						
Table 15						
Table 16 Points						
Table 17						
Points						
Points						
ation equals or exceeds 12. s in a Type n equals or exceeds 20. annually).						
naps and statements, are true given on date of, l.						
of Secretary or President of Board of ucation or Board of Directors						
Action by Illinois Department of Transportation  Date Submittal ReceivedMay 8, 2024 Serial No2-24-791						
r.						
in Mous						
ure of IDOT Regional Engineer						
bmittal.) ubmittal that did not previously						






A publication entitled "School Safety Busing and Instructions for Submitting Findings" is available from the Illinois Department of Transportation, 2300 South Dirksen Parkway, Springfield, Illinois 62764. The school administrator preparing this submittal should refer to the instructions in the booklet.

Two copies of this form are to be submitted to the IDOT District Office indicated in the instruction booklet. The IDOT District Office will approve or disapprove the submittal within thirty (30) days and return one copy to the school district indicating the action taken.

Name of Sc North Boon	hool District e CUSD			Address of Admini 6548 North Boone				
District # 200	County Boone	City Poplar Grove	Zip Code 61065- 6548					
Name of Co Stacey Core	ntact Represen ler		itle xecutive Dir.	of Business	Phone Number (815) 716-9437			
Name of Sc		hildren Are Walk I		nnual Sequential Nu 00-24-03	imber (Use on Map and	Attachments)		
Type of Condition	1. 🛭 Sing	le Hazard	Туре					
	2. Com	bination Hazard	Туре		and Type			
Location	3. Along <u>1</u>	l Boone Schoo	l Rd	(Street or Road Nan	me)			
(Attach a ma		4. Type I From To To						
showing the described		From the inte	ersection of	Poplar Grove_To_	.2 mi W of interse	ction		
location(s).	) 6. Type III	At						
	7. Type IV	At						
Points	Type I – Wa	alking Along a Ro	oadway					
(Complete or	111/			grade)		Table 1		
for types list on lines 1 or	ed 9. Location	9. Location of walkway (on shoulder <u>&gt;350</u> feet from roadway) <b>OR</b> 3 Points (behind curb or ditch feet from roadway)						
	10. Speed	of traffic ( <u>55</u>	mph)			4 Points		
	11. Volume	11. Volume of traffic (34 vehicles/hour) (2 lanes)0 Points						
	12. Length	of hazardous sect	tion (2	miles)		2 Points		
		13. Board's judgment points (attach explanation)Points						
•		f lines 8 through 13						
		'alking on a Road t qualifying grade l	-	grade)		Points		
		n for walking on ro		grade)		Table 6		
	(No sh Narrov	oulder or walkway v bridge or underp	off pavement ass for	t for feet feet)	OR	Table 7 Points		
	17. Speed	of traffic (	mph)			Table 8		
	18. Volume	of traffic (	ve	ehicles/hour) (	lanes)	Table 9		
	19. Length	of hazardous sect	tion (	miles)		Table 10		
		judgment points	•	nation)		Points		
	21. Total o	f lines 15 through 2	20			Points		

Points	Type III - Crossing a Roadway (Name of roadway being crossed)						
(Continued)	22. Highest qualifying grade level (through grade)Points						
	23. Control on roadway being crossed (						
	24. Speed and volume of traffic ( mph) ( vehicles/hour) Points						
	25. Width of roadway (feet) Points						
	26. Board's judgment points (attach explanation) Points						
	27. Total of lines 22 through 26 Points						
-	Type IV – Crossing Railroad Tracks						
	28. Highest qualifying grade level (through grade)Points						
	29. Crossing protection and number of tracks:  ( protection; tracks used)  Points						
	30. Speed and number of trains:  ( mph; trains)  Points						
	31. Board's judgment points (attach explanation) Points						
	32. Total of lines 28 through 31 Points						
Finding	33. X Single hazard qualifies since points in a Type situation equals or exceeds 12.	-					
	34. Combination hazard qualifies since the total of points in a Type situation and points in a Type situation equals or exceeds 20.						
	35. Hazard is temporary for school year (resubmit annually).						
	36. No hazard						
Certification							
	and correct to the best of my knowledge and belief. Board approval was given on date of, 20, and the minutes of this meeting bear evidence of this approval.	1					
	3 2	_					
	Date Signature of Secretary or President of Board of Education or Board of Directors						
Action by Illino	ois Department of Transportation						
Date Sul	bmittal Received May 8, 20 24 Serial No. 2-24-792						
🛚 Аррг	roved						
☐ Disa	pproved for corrections, additions, or clarifications noted in transmittal letter.						
☐ Disa	pproved for reason or reasons noted in transmittal letter.						
	5 13 24 Justa Juoup  Date Signature of IDOT Regional Engineer	_					
		_					
1. Аррі	Reimbursement Estimate (This information will have no effect on IDOT's action on the submittal.)  1. Approximately how many students will annually be qualified for busing by this submittal that did not previously qualify for reimbursable busing?students						
2. What is the projected additional annual reimbursement that will result from this submittal? \$							





A publication entitled "School Safety Busing and Instructions for Submitting Findings" is available from the Illinois Department of Transportation, 2300 South Dirksen Parkway, Springfield, Illinois 62764. The school administrator preparing this submittal should refer to the instructions in the booklet,

Two copies of this form are to be submitted to the IDOT District Office indicated in the instruction booklet. The IDOT District Office will approve or disapprove the submittal within thirty (30) days and return one copy to the school district indicating the action taken.

Name of Sc North Boon	hool District			Address of Admini					
District #	County	City	Zip Code	OSTO NOTAL BOOKS	oonoor Roud				
200	Boone	Poplar Grove	61065- 6548						
	ntact Represent	ative	Title	I	Phone Number				
Stacey Cord Name of Sc	ier hool to Which Cl	hildren Are Wa		of Business nnual Sequential Nu	(815) 716-9437 mber (Use on Map and A	Attachments)			
	Middle School		2.5	00-24-04					
Type of Condition	1. 🛭 Single	e Hazard	Туре	II					
		oination Hazard	Туре		and Type				
Location	3. Along N	Boone Scho	ool Rd						
(Attach a ma	ap 4. Type i	From		(Street or Road Nam					
showing th	e			Poplar Grove_To_					
location(s).	* *								
	7. Type IV								
Points									
Points		Ilking Along a	_	8 grade)		5 Points			
(Complete or for types list	nly , , ,	9. Location of walkway (on shoulder <u>&gt;350</u> feet from roadway) <b>OR</b> 3 Points							
on lines 1 or		(behind curb or ditch feet from roadway) Table 2							
	10. Speed	10. Speed of traffic (55mph)							
	11. Volume	11. Volume of traffic (34 vehicles/hour) (2lanes)							
	12. Length	of hazardous so	ection (2_	miles)		2 Points			
			ts (attach explar	ation)		Points14Points			
		lines 8 through				<u>14</u> 1 01113			
		alking on a Ro	_	grado)		Points			
	•		, -	grade)		Table 6			
	16. Reason for walking on roadway:  (No shoulder or walkway off pavement for feet, OR  Narrow bridge or underpass for feet)								
	17. Speed	of traffic (	mph)			Table 8			
	18. Volume	of traffic (	V	ehicles/hour) (	lanes)	Points Table 9			
	19. Length of hazardous section ( miles) Points								
	20. Board's judgment points (attach explanation)  Points								
	21. Total of lines 15 through 20 Points								

Type III - Crossing a Roadway (Name of roadway being crossed	)					
22. Highest qualifying grade level (through grade)						
23. Control on roadway being crossed () Table 12	Points					
24. Speed and volume of traffic ( mph) ( vehicles/hour)	Points					
OF MANAGE AND	_ Points					
26. Board's judgment points (attach explanation)	_ Points					
27. Total of lines 22 through 26	_ Points					
Type IV – Crossing Railroad Tracks						
28. Highest qualifying grade level (through grade)	Points					
29. Crossing protection and number of tracks:  ( protection; tracks used)	Points					
	Points					
	Points					
32. Total of lines 28 through 31	Points					
33. X Single hazard qualifies since 14 points in a Type II situation equals or exce						
35 Hazard is temporary for school year (resubmit annually).	20.					
36. ☐ No hazard						
I hereby certify that the date in this application, including accompanying maps and statements and correct to the best of my knowledge and belief. Board approval was given on date of, and the minutes of this meeting bear evidence of this approval.	s, are true					
Date Signature of Secretary or President of Education or Board of Directors						
is Department of Transportation						
Date Submittal Received May 8, 20 24 Serial No. 2-24-793						
oved						
pproved for corrections, additions, or clarifications noted in transmittal letter.						
pproved for reason or reasons noted in transmittal letter.						
Date  Signature of IDOT Regional English	gineer					
Reimbursement Estimate (This information will have no effect on IDOT's action on the submittal.)  1. Approximately how many students will annually be qualified for busing by this submittal that did not previously qualify for reimbursable busing?students						
	22. Highest qualifying grade level (through					

