

ATTACHMENT NO. X - D

ATTACHMENT NO. X - D: Bus Maintenance Garage Floor

Potential motion: Approve the quote from J and Sons to coat the maintenance garage floor.

Recommended action: Approve the motion.

Rationale: The Facilities Committee is recommending the Board approve the quote from J and Sons for \$24,480.00 to repair and coat the floor in our bus maintenance garage. The floor in the garage is heated and showing some flaking and pitting. It is time to resurface and coat the floor so that there is no damage to heating in the floor. Three quotes were received. Jim Nolen is recommending to approve the quote from J and Sons, even though it is not the lowest, because of the prep work and that the thickness of the coating will be more durable for longer protection to the floor.

J & SONS COATINGS

204 GABLES DR SW.
POPLAR GROVE, ILL. 61065
815-765-2252

MARCH 26, 2023

**NORTH BOONE DISTRICT OFFICE
6248 NORTH BOONE SCHOOL ROAD
POPLAR GROVE, ILLINOIS 61065 ATTN: JIM NOLEN/815-543-5942
jnolen@nbcusd.org**

SURFACE PREPARATION: AREA (64X85) 5440 SQ.FT. (TWO SETUPS)

DAY I PREP., SHOTBLAST, GRIND, PATCH CRACKS DIVOTS

**DAY II 12 MILLS, 3561 GRAY EPOXY WITH FULL BROADCAST FLAKES
FB-616 WOMBAT ¼"**

**DAY III TOP COAT, 10 MILLS, 8340 UV RESISTANT CLEAR WITH
#24 ALUMINUM OXIDE FOR TEXTURE**

TOTAL COST LABOR AND MATERIAL \$ 24,480.00

**NET TERMS 30% DOWN WITH BALANCE 15 DAYS FROM COMPLETION
ONE YEAR WARRANTY FOR PRODUCT FAILURE ONLY**

**THANK YOU FOR THE OPPORTUNITY TO SUBMIT THIS PROPOSAL.
J & SONS COATINGS. JESSE MOTA. 815-520-4770**